

END WROUGHT IRON MACHINES

PC16



END HOT WROUGHT IRON MACHINE

The End Hot Wrought Machine Nargesa PC16, makes snails shaped extremes in round bar, square bar and flat bars of different sizes...

GET A QUOTE

Please complete the following form. We'll contact you in less than 24 hours. *Business days*.


HOW IT WORKS VIDEO Video on how the machine works.

SOME OF OUR REMARKABLE CUSTOMERS



END HOT WROUGHT IRON MACHINE


The End Hot Wrought Machine Nargesa PC16, eases up the rolling job of hot steel. It rolls up the snail forged shaped end. This decorations are commonly used as extremes in scrolls and decorative parts: gates, windows, fencing, metal furniture...



Any worker is able to carry out this job, even without any previous preparation.



Thousands of parts can be made in a sole working day.




There are few craftsmen who can make this kind of wrought jobs.




Possibility of selling parts with the forged extremes to different companies or steel stores.

TECHNICAL FEATURES








- > Maximum capacity in round: 20 mm.
- > Maximum capacity in square: 20 mm.
- > Maximum capacity in flat bar: 50x10 mm.
- > Adjustment of displacement or turns.
- > Adjustment of pressure according to material thickness.
- > Safety double command for the cycle drive.
- > Hydraulic clamp for the piece fastening.
- > Working speed: 45 mm/s.
- > Return speed: 70 mm/s.
- > Cycle time: 10 seconds.
- > Pieces per minute: 4 pieces.
- > Engine power: 2,2 KW/ 3 CV (HP).
- > Three phased tension: 230/400 V.
- > For other tension or single phased machines, please ask the manufacturer.
- > Machine Dimensions: 640x1300x1110 mm.
- > Weight: 336 Kg.

*All or products are manufactured in our facilities in Spain. The hydraulic and electrical components are all standard from the best leading European trademarks, with technical assistance all over the world: Rexroth, Bosch, Roquet, Schneider Electric, LG, Telemecanique, Pizzato etc...

OUTSIDE DIMENSIONS



PACKAGING CHARACTERISTICS

- Tariff Code: 84622991
- Palletized bench to move it easily to its working site or storage.

II)

(D)

- The machine is sent completely assembled.
- Packaging with wooden pallet NIMF15 and
- 3-layered cardboard box suitable for sea freight.
- Optional: Complete wooden packaging NIMF15.

PC16	
Width	1350 mm
Depth	680 mm
Height	1280 mm
Volume	0,93 m³
Net Weight	336 Kg
Gross Weight	355 Kg

OUR RANGE OF MACHINERY



IRON WORKERS



SECTION BENDING MACHINES



TWISTING/SCROLL BENDING MACHINES



GAS FORGES



BROACHING MACHINES



NON-MANDREL PIPE BENDER



HYDRAULIC PRESS BRAKES



IRON EMBOSSING MACHINES



POWER HAMMERS



HORIZONTAL PRESS BRAKES



HYDRAULIC SHEAR MACHINES



END WROUGHT IRON MACHINES



PRESSES FOR LOCKS

WARRANTY

Nargesa machines have 3 years warranty provided that the customer registers it in our website. Otherwise it would be only one year warranty. This one encloses any manufacturing default all along these 3 years for components. Any misuse is excluded from this condition. Labor, back and forth shipping and any eventual repair, are not included in this warranty.

Partner companies



SHIPMENT EVERYWHERE

Nargesa will arrange transport up to final destination, whenever the customers asks for so. There is also the possibility for the customer to arrange the shipment himself with his own agency.

TECHNICAL ASSISTANCE

All our customers have access to technical support quickly and efficiently.

90% of incidences are solved out on the phone, mail, Skype or videoconferencing in less than 24hours. In case of needing presencial technical assistance, we may as well send a technician to the customer's facilities.

Follow us on

PRADA NARGESA, S.L.

Ctra. De Garrigàs a Sant Miquel s/n 17476 Palau de Santa Eulalia (Girona) Spain Tel. +34 972 568 085 www.nargesa.com

nargesa@nargesa.com

